# ANALYTICA CHIMICA ACTA

International journal devoted to all branches of analytical chemistry

*(Abstracted, Indexed in: Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Life Sci.; Index Med.; Mass Spectrom. Bull.; Sci. Citation Index; Excerpta Med.)*

VOL. 209 CONTENTS JUNE 15, 1988

*Computer Techniques and Applications*

The evaluation of probabilistic classification methods. Part 2. Comparison of SIMCA, ALLOC, CLASSY and LDA
H. van der Voet, P.M.J. Coenegracht and J.B. Hemel (Groningen, The Netherlands) ..... 1

Use of the $^{13}$C-NMR chemical shift/charge density linear relationship for recognition and ranking of chemical structures
I.P. Bangov (Sofia, Bulgaria) ..... 29

One-dimensional Kalman filter in a robot system for total analysis of solid dosage formulations
Y. Hayashi, R. Matsuda, S. Yoshioka and Y. Takeda (Tokyo, Japan) ..... 45

*General Analytical Chemistry*

A capillary suction pump giving constant flow rates
M.J. Eddowes (Hayes, Gt. Britain) ..... 57

Evidence for a radical intermediate in the anodic oxidation of reduced nicotinamide adenine dinucleotides obtained by electrogenerated chemiluminescence
J. Ludvík and J. Volke (Praha, Czechoslovakia) ..... 69

Determination of paraquat in biological and environmental samples by a photokinetic method
C. Martinez Lozano, T. Pérez-Ruiz, V. Tomás and E. Yagüe (Murcia, Spain) ..... ..... 79

Spectrocoulometric study of the hydrolysis of the tris(1,10-phenanthroline)iron(III) complex ion
M. Németh, J. Mocák and S. Musil (Bratislava, Czechoslovakia) ..... 87

Comparison of physicochemical speciation procedures with metal toxicity to *Chlorella pyrenoidosa*
G.M.P. Morrison and T.M. Florence (Menai, N.S.W., Australia) ..... 97

Flow-injection system for determination of critical micelle concentrations of ionic and nonionic surfactants
S.H. Brooks, A. Berthod, B.A. Kirsch and J.G. Dorsey (Gainesville, FL, U.S.A.) ..... 111

A flow-injection system based on immobilized penicillinase and a linear pH-buffer for potentiometric determination of penicillin
B. Olsson (Lund, Sweden) ..... 123

*Spectrometric Methods*

Multi-element simplex optimization for inductively-coupled plasma/atomic emission spectrometry with a plasma torch fitted with a wide-bore injector tube. Part 2. Establishment of optimum conditions for minimum interference
L. Ebdon (Plymouth, Gt. Britain) and R. Carpenter (Aldermaston, Gt. Britain) ..... 135

Comparison of digestion procedures for the determination of mercury in soils by cold-vapour atomic absorption spectrometry
W. van Delft and G. Vos (Wageningen, The Netherlands) ..... 147

Optimization of parameters for gas-diffusion flow-injection systems
J.S. Canham, G. Gordon and G.E. Pacey (Oxford, OH, U.S.A.) ..... 157

Cathodic europium(III) electroluminescence at an oxide-coated aluminum electrode
K.Haapakka, J. Kankare and S. Kulmala (Turku, Finland) ..... 165

*(Continued overleaf)*

*(Contents continued)*

Determination of mixtures of ampicillin and cloxacillin in pharmaceuticals by second-derivative spectrophotometry
B. Morelli (Bari, Italy) ..... 175
Evaluation of x-ray fluorescence spectrometry for the determination of platinum in catalysts and comparison with other spectrometric techniques
D.Lj. Stojić, M.S. Pavlović, V.M. Vasić, A.H. Kukoč and P.R. Adžić (Belgrade, Yugoslavia) ..... 185

*Electrometric Methods*
The determination of gold by anodic stripping voltammetry
M. Lintern, A. Mann and D. Longman (Wembley, WA, Australia) ..... 193
Determination of the pesticides Fenthion and Fenitrothion by flow injection with amperometric detection
J. Hernandez Mendez, R. Carabias Martinez, F. Becerro Dominguez and J.I. Jimenez Jimenez (Salamanca, Spain) ..... 205
Selective determination of silver in solution by adsorption on a piezoelectric quartz crystal
S.-Z. Yao, S.-L. Dan and L.-H. Nie (Changsha, China) ..... 213
Amperometric probe for 3-hydroxybutyrate with immobilized 3-hydroxybutyrate dehydrogenase
G. Palleschi, H.S. Rathore (Rome, Italy) and M. Mascini (Firenze, Italy) ..... 223
Amperometric assay of glucose and lactic acid by flow injection analysis
B.A. Petersson (Copenhagen, Denmark) ..... 231
Enzymatic determination of urea in undiluted whole blood by flow injection analysis using an ammonium ion-selective electrode
B.A. Petersson (Copenhagen, Denmark) ..... 239

*Separations*
Determination of trace amounts of copper and zinc in sea water with polymer-supported 1,4,8,11-tetraazacyclotetradecane
L. Percelay, P. Appriou, H. Handel and R. Guglielmetti (Brest, France) ..... 249
High-performance liquid chromatographic detection of L- and D-amino acids by use of immobilized enzyme electrodes as detectors
T. Yao and T. Wasa (Sakai, Japan) ..... 259

*Short Communications*
Evaluation of classification results with the disjoint classification program SOLOMON
H. Steigstra, A.P. Jansen and G. Kateman (Nijmegen, The Netherlands) ..... 265
One-bit quantization of computer-stored spectra
W. Storek (Berlin, G.D.R.) ..... 271
Molecular emission cavity analysis. Part 29. Determination of tin after conversion to its volatile hydride
I.Z. Al-Zamil (Riyadh, Saudi Arabia) and A. Townshend (Hull, Gt. Britain) ..... 275
Electrothermal atomic absorption spectrometric determination of copper and zinc in high-purity bismuth after thiocyanate extraction
A. Hioki, N. Fudagawa, M. Kubota and A. Kawase (Ibaraki, Japan) ..... 281
Atomic absorption spectrometric determination of copper in calcium carbonate scale and carbonate rocks by direct atomization of solid samples
T. Nakamura, K. Okubo and J. Sato (Kawasaki, Japan) ..... 287
Spectrophotometric determination of vanadium(V) with methoxypromazine maleate and its application to vanadium steels and minerals
A. Thimme Gowda (Karnataka, India) and H. Sanke Gowda (Bangalore, India) ..... 293

Determination of phosphorus in biological tissues by aluminium block digestion and flow-injection spectrophotometry
W. Maher, D. Lambert, J. Furlonger and P. Cullen (Belconnen, A.C.T., Australia) ..... 299
Fluorimetric determination of calcium in serum with calcein. Complexation of calcein with calcium and alkali metals
M.A. Demertzis (Ioannina, Greece) ..... 303
Spectrophotometric determination of L-ascorbic acid in pharmaceutical preparations
S.A. Al-Tamrah (Riyadh, Saudi Arabia) ..... 309
Hydrogen peroxide interference in the determination of chromium(VI) by the diphenylcarbazide method
M. Pettine, T. La Noce, A. Liberatori and L. Loreti (Rome, Italy) ..... 315
Ultraviolet absorption spectra of chloramines and chlorine in carbon tetrachloride
M. Ferriol and J. Gazet (Villeurbanne, France) ..... 321
Optical-fiber sensor based on the second-harmonic emission of a near-infrared semiconductor laser as light source
T. Okazaki, T. Imasaka and N. Ishibashi (Fukuoka, Japan) ..... 327
Spectrophotometric determination of germanium in rocks after selective adsorption on Sephadex gel
A. Harada, T. Tarutani and K. Yoshimura (Fukuoka, Japan) ..... 333
Determination of lead in whole blood with a simple flow-injection system and computerized stripping potentiometry
L. Almestrand, M. Betti, C. Hua, D. Jagner and L. Renman (Lund, Sweden) ..... 339
Solid-state ion-selective electrodes for the potentiometric determination of hexacyanoferrate(II)
G.-S. Ihn, M.-J. Sohn (Daegu, Korea) and R.P. Buck (Chapel Hill, NC, U.S.A.) ..... 345
Di-isopropyl fluorophosphate electrode based on squid nerve tissue
S. Uchiyama, Y. Sato, Y. Tofuku and S. Suzuki (Saitama, Japan) ..... 351
Potentiometric titration of palladium(II) halide complex anions based on ion-pair formation
K. Vytřas, J. Kalous, B. Šimíčková, J. Černá and I. Šílená (Pardubice, Czechoslovakia) ..... 357
A cation affinity series for a phosphinic acid ion-exchange resin
G.K. Schweitzer, A.M.B.M. Radzi and S.D. Alexandratos (Knoxville, TN, U.S.A.) ..... 363

*Author Index* ..... 367